


ETMM Series Twin Seal System

Interior Joints (Floor)

This basic Elastomeric Twin Seal System offers two rubber seals to allow for more thermal joint movement. Designed for use on floors and walls, the aluminum slide plate accepts flooring or wall infill to seamlessly coordinate with the surrounding environment.



FEATURES

COORDINATING CORNERS Available with corner option for a complete floor and wall solution.

COORDINATION Designed for both horizontal and vertical applications, this system provides a continuous coordinated look and feel.

COMPLEMENTARY SEAL COLORS Available in four elastomeric seal color options: beige, white, gray or black.

SEAL COLORS



DETAILS

MATERIAL 6063-T6 Aluminum

FINISH Mill and Rubber Seals

MOVEMENT

- Thermal: Horizontal and Vertical

MOUNTING Surface

JOINT SIZE 2 inches to 6 inches

LENGTH 10 Linear Feet

APPLICATION Interior


LOAD Pedestrian and Light Cart

INSTALLATION Floor or Wall


OPTIONS Seal Color, Infill Plate, Moisture Barrier, Fire Barrier

MODELS

MODEL	INSTALLATION	JOINT SIZE AT MEAN T°F	SYSTEM WIDTH	TOTAL MOVEMENT
ETMM-200	Floor-to-Floor	2" (51mm)	7.75" (197mm)	4.25" (108mm)
ETMM-200W	Floor-to-Wall	2" (51mm)	4.88" (124mm)	2.5" (64mm)
ETMM-400	Floor-to-Floor	4" (102mm)	9.75" (248mm)	6.25" (159mm)
ETMM-400W	Floor-to-Wall	4" (102mm)	6.88" (175mm)	4.5" (114mm)
ETMM-600	Floor-to-Floor	6" (152mm)	11.75" (298mm)	8.25" (210mm)
ETMM-600W	Floor-to-Wall	6" (152mm)	8.88" (226mm)	6.5" (165mm)



Floor-to-Floor



Floor-to-Wall/Corner



Erie Metal Specialties, Inc.
13311 Main Road
Akron, NY 14001

Phone: 716-542-3991
Website: www.eriametal.com
E-Mail: sales@eriametal.com